

UK Declaration of Conformity



We, ChargePoint Network (UK) Ltd. as an importer of ChargePoint Inc., declare that this UK Declaration of Conformity is issued under our sole responsibility for the product:

Product Details

Description	Model CP6000
Product trade name	ChargePoint™
Product Models	Family Model designation CP6XXX may be followed by additional numbers or characters to indicate marketing options not related to safety, emc, or wireless features.

Applicable Standards:

Category/ Directive	Standard	Scope
2016 No. 1101- Electrical Equipment (Safety) Regulations 2016	IEC 61851-1:2017 Ed. 3.0, IEC 61439-7:2018 Ed 1.0, IEC 62368-1:2018 Ed. 3.0, IEC 62169-1:2014 Ed. 3.0, IEC 62955:2018 Ed. 1.0,	Electric Vehicle conductive charging systems – General Requirements Low-voltage switchgear and controlgear assemblies - electric vehicle charging stations. Plugs and socket-outlets RCD-DD to be used for Mode 3 charging of EV.
2016 No. 1091 - Electromagnetic Compatibility Regulations 2016	IEC 61851-21-2:2018	Electric Vehicle conductive charging systems – EMC requirements for off-board electric vehicle charging systems.
2017 No. 1206 – Radio Equipment Regulations 2017	EN 301 489-1: v2.2.3 EN 301 489-3: v2.1.1 EN 301 489-52: V1.1.2 ETSI EN 300 328 v2.2.2 ETSI EN 300 330 v2.1.1 ETSI EN 301 511 v12.5.1	Common technical requirements for standard radio equipment, Short Range Devices (SD) and Cellular Communication.
2012 No. 3032 – The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012	EN 50581:2012	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances.
2016 No. 1153 – Measuring Instruments Regulations 2016	EN 50470-1:2006 EN 50470-3:2006	Legal metrology requirements applicable to the meter.

The object of this informative document is to declare the product complies with relevant and applicable regulations and general and safety installations requirements in the in the United Kingdom (except Northern Ireland).

ChargePoint Inc and ChargePoint Ntw reserves the right to change or improve internal components and/or cosmetic features without warning.

Additional information:

CP6K-EVT2-20220317_A1 - CB TR IEC 61851_1_2017

CP6K-EVT2-20220317 - A2 CB TR IEC 61851-21-2_2018

2274959.50 – DEKRA CB report IEC 61851-1:2017+IEC 62368-1:2018+

2272205.0501-EMC – DEKRA CB report IEC 61851-21-2:2018


CB NL-85769

CB NL-86551

Product designation list

Name	Description
CP6311B-32-5.5	CP6000,cable T2, single, Ground Mounted, Display, up to 32 Amps, 5.5 m cable length
CP6313B-32-5.5	CP6000,cable T2, single, Wall Mounted, Display, up to 32 Amps, 5.5 m cable length
CP6321B-32-5.5	CP6000,cable T2, dual, Ground Mounted, Display, up to 32 Amps, 5.5 m cable length
CP6323B-32-5.5	CP6000,cable T2, dual, Wall Mounted, Display, up to 32 Amps, 5.5 m cable length
CP6311B-32-7.5	CP6000,cable T2, single, Ground Mounted, Display, up to 32 Amps, 7.5 m cable length
CP6313B-32-7.5	CP6000,cable T2, single, Wall Mounted, Display, up to 32 Amps, 7.5 m cable length
CP6321B-32-7.5	CP6000,cable T2, dual, Ground Mounted, Display, up to 32 Amps, 7.5 m cable length
CP6323B-32-7.5	CP6000,cable T2, dual, Wall Mounted, Display, up to 32 Amps, 7.5 m cable length
CP6411B-32-	CP6000,T2 Shutter socket outlet, single, Ground Mounted, Display, up to 32 Amps
CP6413B-32-	CP6000,T2 Shutter socket outlet, single, Wall Mounted, Display, up to 32 Amps
CP6421B-32-	CP6000,T2 Shutter socket outlet, dual, Ground Mounted, Display, up to 32 Amps
CP6423B-32-	CP6000,T2 Shutter socket outlet, dual, Wall Mounted, Display, up to 32 Amps
CP6521B-32-5.5	CP6000,cable T2 and T2 Shutter socket outlet, dual, Ground Mounted, Display, up to 32 Amps, 5.5 m cable length
CP6523B-32-5.5	CP6000,cable T2 and T2 Shutter socket outlet, dual, Wall Mounted, Display, up to 32 Amps, 5.5 m cable length
CP6521B-32-7.5	CP6000,cable T2 and T2 Shutter socket outlet, dual, Ground Mounted, Display, up to 32 Amps, 7.5 m cable length
CP6523B-32-7.5	CP6000,cable T2 and T2 Shutter socket outlet, dual, Wall Mounted, Display, up to 32 Amps, 7.5 m cable length
CP6311X-32-5.5	CP6000,cable T2, single, Ground Mounted, No Display, up to 32 Amps, 5.5 m cable length
CP6313X-32-5.5	CP6000,cable T2, single, Wall Mounted, No Display, up to 32 Amps, 5.5 m cable length
CP6311X-32-7.5	CP6000,cable T2, single, Ground Mounted, No Display, up to 32 Amps, 7.5 m cable length
CP6313X-32-7.5	CP6000,cable T2, single, Wall Mounted, No Display, up to 32 Amps, 7.5 m cable length
CP6321X-32-7.5	CP6000,cable T2, dual, Ground Mounted, No Display, up to 32 Amps, 7.5 m cable length
CP6323X-32-7.5	CP6000,cable T2, dual, Wall Mounted, No Display, up to 32 Amps, 7.5 m cable length

Date	Version	Description of the change
30/11/2021	1	Creation of the document
03/04/2023	2	Modification CB report: 2251041.50 to 2274959.50 2250982.0501 to 2272205.0501
		Including CB NL 85769 and CB NL 86551 certificate number
		Including IEC 62169-1:2014 in the safety standard list.
		Including list of product versions

DocuSigned by:

A90A946E47884A3...

ChargePoint Network (UK) Ltd.
2 Waterside Drive
Arlington Business Park
Theale, Reading, Berkshire, RG7 4SW
United Kingdom